



## FortiGate® 800D

High Performance Enterprise Firewall for Large Branch Offices



## FortiGate 800D

With network bandwidth requirements doubling every 18 months and increases in sophisticated cyber threats, enterprise organizations with large branch offices know they need high-speed network security that also delivers highly effective next generation security.

### 5 Times Next Generation Firewall Performance

The FortiGate 800D appliance delivers superior performance through a combination of purpose-built FortiASIC™ processors, high port density with 10 GE ports and consolidated security features from the FortiOS™ operating system. It delivers 5 times better next generation firewall performance compared to alternate products and provides the best price/performance in the industry.

### Deeper Visibility and Top-rated Security

This breakthrough threat prevention performance allows organizations to run NSS Labs Recommended intrusion prevention and application control and VB100 certified antimalware capabilities for deeper inspection. Rich console views and reports together with a flexible policy engine provide the visibility and control to empower employees yet secure your enterprise.

Finally, these features of the FortiGate FortiOS Network Security Platform are routinely validated by independent real-world tests and are consistently getting superior ratings in security effectiveness.

### Highlights

Firewall Performance	IPS Performance	Interfaces
36 Gbps	8 Gbps	Multiple 10 GE SFP+, GE SFP and GE RJ45



## Features & Benefits

- 5 times faster hardware accelerated next generation firewall offers best-in-class price/performance ratio
- Integrated high port density delivers maximum flexibility and scalability
- NSS Labs Recommended NGFW and NGIPS with consolidated security delivers top-rated protection
- Application control plus identity and device-based policy enforcement provides more granular protection
- Intuitive management interface enables broad and deep visibility that scales from a single FortiGate to thousands



# HARDWARE

## FortiGate 800D



### Interfaces

- |                                |                        |
|--------------------------------|------------------------|
| 1. USB Ports                   | 5. 20x GE RJ45 Ports   |
| 2. Console Port                | 6. 8x GE SFP Slots     |
| 3. 2x GE RJ45 Management Ports | 7. 2x 10 GE SFP+ Slots |
| 4. 2x Bypass GE RJ45 Pairs     |                        |



### Powered by FortiASICs

- Custom FortiASIC™ processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- FortiASIC processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

### Network Processor

Fortinet's new, breakthrough FortiASIC NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 3 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

### Content Processor


The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

### 10 GE Connectivity

High speed connectivity is essential for network security segmentation. The FortiGate 800D provides 10 GE slots that simplify network designs without relying on additional devices to bridge desired connectivity.

## SOFTWARE



FortiOS Management UI — FortiView and Application Control Panel

### FortiOS

FortiOS helps you protect your organization against advanced threats, configure and deploy your network security faster and see deep into what's happening inside your network. It enables organization to set up policies specific to types of devices, users and applications with industry-leading security capabilities. FortiOS leverages custom FortiASICs and the Optimum Path Processing architecture of FortiGate to deliver 5 times faster throughput performance. In essence, FortiOS delivers:

- **Comprehensive Security** — Control thousands of applications and stop more threats with NSS Labs Recommended IPS, sandboxing, VB100 certified antimalware and more.
- **Superior Control and Visibility** — Stay in control with rich visibility over network traffic, granular policy control, and intuitive, scalable security and network management.
- **Robust Networking Capabilities** — Optimize your network with extensive switching and routing, high availability, WAN optimization, embedded WiFi controller, and a range of virtual options.



For more information, please refer to the FortiOS data sheet available at [www.fortinet.com](http://www.fortinet.com)

## SERVICES

### FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- **Real-time Updates** — 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- **Security Research** — FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- **Validated Security Intelligence** — Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.



For more information, please refer to <http://forti.net/guard>

### FortiCare™ Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- **Enhanced Support** — For customers who need support during local business hours only.
- **Comprehensive Support** — For customers who need around-the-clock mission critical support, including advanced exchange hardware replacement.
- **Premium Services** — For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- **Professional Services** — For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



For more information, please refer to <http://forti.net/care>

SPECIFICATIONS

FORTIGATE 800D	
Interfaces and Modules	
Hardware Accelerated 10 GE SFP+ Slots	2
Hardware Accelerated GE SFP Slots	8
Hardware Accelerated GE RJ45 Ports	20
Accelerated GE RJ45 Bypass Interfaces	4
GE RJ45 Management / HA Ports	2
USB Ports (Client / Server)	1 / 2
Console Port	1
Onboard Storage	240 GB
Included Transceivers	2x SFP (SX 1 GE)
System Performance and Capacity	
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	36 / 36 / 22 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	36 / 36 / 22 Gbps
Firewall Latency (64 byte, UDP)	3 µs
Firewall Throughput (Packet per Second)	33 Mpps
Concurrent Sessions (TCP)	5 Million
New Sessions/Second (TCP)	280,000
Firewall Policies	100,000
IPsec VPN Throughput (512 byte)	20 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	2,000
Client-to-Gateway IPsec VPN Tunnels	10,000
SSL-VPN Throughput	2.2 Gbps
Concurrent SSL-VPN Users (Recommended Maximum)	5,000
IPS Throughput	8 Gbps
CAPWAP Throughput	5.5 Gbps
Virtual Domains (Default / Maximum)	10 / 10
Maximum Number of FortiAPs (Total / Tunnel)	1024 / 512
Maximum Number of FortiTokens	1,000
Maximum Number of Registered Endpoints	2,000
High Availability Configurations	Active-Active, Active-Passive, Clustering

FORTIGATE 800D	
Dimensions and Power	
Height x Width x Length (inches)	1.77 x 17.0 x 16.4
Height x Width x Length (mm)	45 x 432 x 416
Weight	19.0 lbs (8.6 kg)
Form Factor	1 RU
Wall Mountable	No
AC Power Supply	100–240V AC, 60–50 Hz
Power Consumption (Average / Maximum)	128 W / 187 W
Current (Maximum)	110V/7A, 220V/3.5A
Heat Dissipation	636 BTU/h
Redundant Power Supplies	(Hot Swappable) optional
Operating Environment and Certifications	
Operating Temperature	32–104°F (0–40°C)
Storage Temperature	-31–158°F (-35–70°C)
Humidity	20–90% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN
Note: All performance values are "up to" and vary depending on system configuration. IPS performance is measured using 1 Mbyte HTTP files. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. CAPWAP performance is based on 1444 byte UDP packets.	

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

ORDER INFORMATION

Product	SKU	Description
FortiGate 800D	FG-800D	22x GE RJ45 ports, 4x GE RJ45 with Bypass Protection, 8x GE SFP slots, 2x 10 GE SFP+ slots, FortiASIC NP6 and CP8 hardware accelerated, 240 GB internal onboard SDD storage.
Optional Accessories/Spares		
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots



GLOBAL HEADQUARTERS  
Fortinet Inc.  
899 Kifer Road  
Sunnyvale, CA 94086  
United States  
Tel: +1.408.235.7700  
www.fortinet.com/sales

EMEA SALES OFFICE  
120 rue Albert Caquot  
06560, Sophia Antipolis,  
France  
Tel: +33.4.8987.0510

APAC SALES OFFICE  
300 Beach Road 20-01  
The Concourse  
Singapore 199555  
Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE  
Prol. Paseo de la Reforma 115 Int. 702  
Col. Lomas de Santa Fe,  
C.P. 01219  
Del. Alvaro Obregón  
México D.F.  
Tel: 011-52-(55) 5524-8480

Copyright© 2016 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary and may be significantly less effective than the metrics stated herein. Network variables, different network environments and other conditions may negatively affect performance results and other metrics stated herein. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet and any such commitment shall be limited by the disclaimers in this paragraph and other limitations in the written contract. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests, and in no event will Fortinet be responsible for events or issues that are outside of its reasonable control. Notwithstanding anything to the contrary, Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT8H